



E25090

ELINGUES 7:1 IN DOUBLE PLI

Fall protection



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap

Applications

- Building
- Maintenance
- Chemical Industry
- Petrochemical
- Storage

Certifications and norms



E25090

ELINGUES 7:1 IN DOUBLE PLI

Fall protection

Standards - Details

Technical details

Type of equipment	Flat sling
Composition of the main support	Polyester
Max. length (m)	8 m
Strap width (mm)	90 mm
Min. length (m)	1 m
Color	Yellow
Safe working load (kg)	3000 kg
Type of split eye	Reduced



E25090

2PLY SLINGS SF7

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE250900102	Yellow	1 m	E25090	7798408753033	0	6	1	6.96 kg	38.0 cm	25.0 cm	25.0 cm
WXE250900202	Yellow	2 m	E25090	7798408753644	0	8	1	14.6 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900302	Yellow	3 m	E25090	7798408751909	0	8	1	7.06 kg	50.0 cm	40.0 cm	33.0 cm
WXE250900402	Yellow	4 m	E25090	7798408752456	0	4	1	13.22 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900502	Yellow	5 m	E25090	7798408753040	0	4	1	16.0 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900602	Yellow	6 m	E25090	7798408752128	0	4	1	18.8 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900802	Yellow	8 m	E25090	7798408753651	0	2	1	12.35 kg	40.0 cm	30.0 cm	30.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height