



WXEHAA14C

FALL ARRESTER HARNESES

Fall protection



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap



Performance

- Certification above maximum rated load 100kg; product certified at 140kg



Ease of Use

- Ergonomic design facilitates user movement
- NFC system guarantees traceability

•

•

Certifications and norms

ANSI Z359.11-2021

Applications

- Agriculture
- Fishing
- Forestry

Risk Protection



Fall



WXEHAA14C

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Strap width (mm)	45 mm
Fastening	Buckles
Number of attachment points	2
Number of total holding attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Holding point	Lateral
Color	Black-Red
Size	M/L
Lifespan from manufacturing (years)	10
Type of conditioning	box of 10
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



WXEHAA14C

FALL ARRESTER HARNESSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXEHAA14C	Black-Red	M/L	WXEHAA14C	7798408754016	0	10	1	13.4 kg	40.0 cm	30.0 cm	30.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height