



WXECPP210

VERBINDUNGSMITTEL FÜR HALTEGURTE

Absturzsicherung



Vorteile



Hygiene

- Die Gurte und Textilien können mit neutraler Seife gewaschen werden



Einfache Handhabung

- Automatische Karabinerhaken für eine sichere und zeitsparende Verriegelung

Anwendung

- Tiefbauarbeiten
- Bauwesen
- Wartungs- und Servicearbeiten
- Öl- & Gasindustrie

Zertifikationen und normen



IRAM 3622-2

Schützt gegen



Absturz



WXECPP210

VERBINDUNGSMITTEL FÜR HALTEGURTE

Absturzsicherung

Details - Normen

Technische Details

Zusammensetzung des Materials	Stahl, Polyester
Länge max. (m)	0,95 m
Länge min. (m)	0,70 m
Einstellung	Einstellschnalle
Farbe	Schwarz-Rot
Steckverbinder (Strukturseite)	2 Haken mit automatischer Verriegelung, Stahl, Öffnung 55 mm
Lebensdauer ab der Herstellung (Jahre)	10
Absturzgefährdung	Arbeitsposition, Einschränkung



Fall protection

WXECP210

LANYARDS

Double fastening and positioning tether. Adjustable length from 0.70 m to 0.95 m. With 55 mm carabiners for maximum versatility. This PPE is not designed to arrest falls.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECP210	Black-Red	1 m	WXECP210	7798408755617	0	10	1	11.3 kg	38.0 cm	25.0 cm	17.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height