



WXECPP210

FRÂNGHII

Protecție anticădere



Beneficii



Igienă

• Posibilitate de spălare a hamurilor și a materialelor textile cu săpun neutru



Utilizare facilă

• Carabiniere automate pentru blocare sigură și economie de timp

Aplicații

- Lucrări publice
- Construcții
- Finisaje / Bricolaj
- Petrol și gaz (extragere)

Certificări și norme



IRAM 3622-2

Protejează împotriva riscurilor



Cădere



WXECPP210

FRÂNGHII

Protecție anticădere

Detalii - Norme

Detalii tehnice

Compoziția suportului principal	Oțel, Poliester
Lungime max. (m)	0,95 m
Lungime min. (m)	0,70 m
Reglare	Bucă de reglare
Culoare	Negru-Roșu
Conector (partea structurii)	2 cârlige cu autoblocare, oțel, deschidere 55 mm
Perioada de valabilitate de la fabricare (ani)	10
Situații de muncă cu protecție de oprire a căderii	Poziționare la locul de muncă, Limitare



Fall protection

WXECP210

LANYARDS

Double fastening and positioning tether. Adjustable length from 0.70 m to 0.95 m. With 55 mm carabiners for maximum versatility. This PPE is not designed to arrest falls.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECP210	Black-Red	1 m	WXECP210	7798408755617	0	10	1	11.3 kg	38.0 cm	25.0 cm	17.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height