



WXECPP210

HALATLAR

Düşme önleme



Avantajlar



Hijyen

- Emniyet kemerlerini ve kumaşları nötr sabunla yıkama imkanı



Kullanım kolaylığı

- Güvenli kilitleme ve zamandan tasarruf sağlayan otomatik karabinalar

Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Petrol ve Gaz (çıkarma)

Sertifikalar ve standartlar



IRAM 3622-2

Karşı korur



Düşme



WXECPP210

HALATLAR

Düşme önleme

Detaylar - Standartlar

Ürün bilgileri

Ana destek yapısı	Çelik, Polyester
Maksimum uzunluk (m)	0,95 m
Minimum uzunluk (m)	0,70 m
Ayar	Ayarlama tokası
Renk	Siyah-Kırmızı
Konnektör (yapı tarafı)	2 otomatik kilit kancası, çelik, 55 mm açıklık
Üretimden itibaren raf ömrü (yıllar)	10
Düşmeye karşı çalışma koşulları	İş konumlandırma, Kısıtlayıcı



Fall protection

WXECP210

LANYARDS

Double fastening and positioning tether. Adjustable length from 0.70 m to 0.95 m. With 55 mm carabiners for maximum versatility. This PPE is not designed to arrest falls.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECP210	Black-Red	1 m	WXECP210	7798408755617	0	10	1	11.3 kg	38.0 cm	25.0 cm	17.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height