



Hand protection

VENICUTD04

LONG-LASTING CUT WORK

A4 rated premium DELTAnocut double nitrile coated gloves for oily environments



Specific benefits



Durability

- High-quality coating extends the life of the glove and provides excellent protection for the hand
- Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene


- Nitrile means no risk of allergies for users



Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry

Risk Protection



Cutting



Wearing



Perforation



enjoy safety.



Hand protection

VENICUTD04

LONG-LASTING CUT WORK

A4 rated premium DELTAnocut double nitrile coated gloves for oily environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|--|
| Glove kind | Mechanical glove |
| Glove family | Knitted coated glove |
| Mechanical Glove Type | Tricot |
| Fiber | DELTAnocut |
| Coating Level | Hand Coated |
| Coating Material | Nitrile |
| Coating Finish | Grip-textured, Double Layer |
| Number of Coatings | Double Coated |
| Gauge | 13 |
| Cuff characteristic | Long cuff |
| Cuff length (mm) | 100 |
| Benefits element | Reach, Vendor pack, Long cuff (>290mm) |
| Color | Black |
| Size | 8, 9, 10, 11 |
| Type of conditioning | in individual bag |

Packaging

Sale unit: in individual bag
60 pairs /box








Safety gloves

VENICUTD04

LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|--------------|--------|------|-------------|---------------|----------------|---|---|--------|---|---|---|
| VECUTD04NO08 | Black | 08 | VENICUTD04 | 3295249211080 | 13295249211087 | 60 | 12 | 6.7 kg | 31.4 cm | 68.2 cm | 17.6 cm |
| VECUTD04NO09 | Black | 09 | VENICUTD04 | 3295249211097 | 13295249211094 | 60 | 12 | 7.0 kg | 30.0 cm | 68.0 cm | 17.0 cm |
| VECUTD04NO10 | Black | 10 | VENICUTD04 | 3295249211103 | 13295249211100 | 60 | 12 | 6.4 kg | 30.0 cm | 68.0 cm | 17.0 cm |
| VECUTD04NO11 | Black | 11 | VENICUTD04 | 3295249211110 | 13295249211117 | 60 | 12 | 8.1 kg | 32.2 cm | 69.4 cm | 18.2 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height