



Head protection

ONYX2 JAUNE FLUO

HARD HATS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes



Specific benefits



Comfort

- Balanced center of gravity to prevent and reduce any musculoskeletal disorder during prolonged use
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 6 attachment points for optimal weight distribution



Ease of Use

- Ratchet for an easy to set-up and remove
- Rotor® system (patented) a simple and quick adjustment with or without gloves



Hygiene

- Replaceable headband for a better hygiene

Technologies and labels



D-ONE-ROTOR

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Oil & Gas (Extraction)
- Power Energy

Certifications and norms



MM
LD
-20°C +50°C
440VAC



EN 50365
CLASS 0



GS-ET-29
CLASS 1

EN 170
1.2 2C

EN 166
1 SAT 89K N

Risk Protection



Heat



Shock



UV / IR



Electrical



Head protection

ONYX2 JAUNE FLUO

HARD HATS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes

Standards - Details

Technical details

Type of product	Specific helmet
Specific helmet	Arc flash helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-64 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Non vented
Main color	Yellow
Suspension Points	6 points
Comfort Headband	Polyester
Helmet peak	None
Chin Strap Points	4 Point Chin Strap
Chin Guard	Without Chin Guard
Availables or replacement accessories	Badge holder, Shield, Neck protector, Logo, Wheel-ratchet harness adjustement
Custom logo	Available option
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	775
Weight (lbs)	1.705
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	Yellow
Chin Strap Material	Polymer



Head protection

ONYX2 JAUNE FLUO

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ONYX2JA	Fluorescent yellow	Adjustable	ONYX2 JAUNE FLUO	3295249286828	13295249286825	6	1	8.46 kg	33.5 cm	45.0 cm	77.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height