



Protection antichute

GIRAFE TRG20

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Potence avec bras déporté repliable pour sécurisation, facile à transporter et installer pour tout type de travaux en hauteur ou évacuation



Applications

- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Industrie chimique
- Pétrole & gaz (extraction)
- Industrie minière

Certifications et normes



EN 795
TYPE B

Protège contre les risques



Chute



Protection antichute

GIRAFE TRG20

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Potence avec bras déporté repliable pour sécurisation, facile à transporter et installer pour tout type de travaux en hauteur ou évacuation

Détails - Normes

Détails techniques

Type d'équipement	Ancrage mobile
Composition du support principal	Acier galvanisé
Longueur max. (m)	2,50
Longueur min. (m)	1,90
Couleur	Acier
Poids (kg)	25
Non inclus	Platine d'adaptation TRA102, Base
Utilisation	Pour espace confiné
Situations de travail antichute	Sauvetage et évacuation, Déplacement vertical, espace confiné



Fall protection

GIRAFE TRG20

FALL ARREST AND RESCUE, CONFINED SPACE

Jib crane with folding arm for safety, easy to transport and install for all types of work at height or evacuation

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRG20	Steel	Adjustable	GIRAFE TRG20	3295249224585	0	1	1	32.0 kg	210.0 cm	30.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height