Fall protection

MAXIBLOC AN10010T2

RETRACTABLE FALL ARRESTERS

Lightweight and compact self-retractable cable fall arrester for easy installation and use for distances of up to 10 metres



Specific benefits

Performance

· Certification above maximum rated load 100kg: product certified at 150kg

Applications

- **Building**
- **Finishing Works/Craftsmanship**

Certifications and norms

CE CATEGORY III

EN360
RFU 11.062
150 KG

UL
AR 1983

Risk Protection

Fall

Fall protection

MAXIBLOC AN10010T2

RETRACTABLE FALL ARRESTERS

Lightweight and compact self-retractable cable fall arrester for easy installation and use for distances of up to 10 metres

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	ABS, Galvanized steel
Max. length (m)	10
ARA lenght (m)	10
ARA lenght (inch)	393.701
Cable diameter (mm) (mm)	4
Color	Black
Connector 1	Small hook, steel, opening 21 mm
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Weight (kg)	3,75
Maximum load for one person (kg)	150
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface
Use of self retracting	Vertical

MAXIBLOC AN10010T2

SAMONAVÍJACIE ZARIADENIE NA ZACHYTENIE PÁDU

Ochrana pri práci vo výškach

Samonavíjacie zariadenie na zachytenie pádu s lanom, ľahké a kompaktné na uľahčenie inštalácie a použitia pri presunoch až do 10 metrov

Logistické informácie

Referenčný kód	Farba	Veľkosť	Názov	EAN13	Kód kartónu			Váha			
AN10010T2	Čierna	10 m	MAXIBLOC AN10010T2	3295249255237	13295249255234	1	1	3.5 kg	30.0 cm	17.0 cm	10.0 cm

Kartón

Minimálny odber

Šírka políčka

Hĺbka škatule

Výška boxu