Fall protection

# MINIBLOC AN102

## RETRACTABLE FALL ARRESTERS

Lightweight and compact webbing retractor for short distances



## Applications

- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Oil & Gas (Extraction)**
- **Power Energy**
- **Storage**

## Certifications and norms

CE CATEGORY III

**EN360**
RFU 11.062
150 KG

UL AR 1983

## Risk Protection

Fall

Fall protection

# MINIBLOC AN102

## RETRACTABLE FALL ARRESTERS

Lightweight and compact webbing retractor for short distances

## Standards - Details

## Technical details

| | |
|---|---|
| Type of equipment | Webbing reel |
| Composition of the main support | Plastic, Polyester |
| Max. length (m) | 2,5 |
| Strap width (mm) | 46 |
| ARA lenght (m) | 2,5 |
| ARA lenght (inch) | 98.4253 |
| Included elements | Energy absorber |
| Color | Orange |
| Connector 1 | Screw carabiner, steel, opening 18mm |
| Weight (kg) | 1,1 |
| Maximum load for one person (kg) | 150 |
| Fall arrest work situations | Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m) |
| Use of self retracting | Vertical |

# MINIBLOC AN102

## RETRACTABLE FALL ARRESTERS

Lightweight and compact webbing retractor for short distances

Fall protection

## Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| AN102 | Orange | 2.50 m | MINIBLOC AN102 | 3660348003513 | 13660348003510 | 5 | 1 | 7.102 kg | 39.0 cm | 43.2 cm | 18.8 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height