坠落防护

PROTECTOR EXTRA LARGE AN19040T2

可伸缩防坠落装置

自动收缩式防坠制动器，不锈钢钢索，适用于长达40米的长距离



具体优势

舒适性

· 双旋转挂钩，实现最佳用户跟踪

易用性

· 自动锁扣保证安全，节省锁定时间
· 携带手柄，便于运输
· NFC系统保证可追溯性

耐用性

· IP66: 高度防尘和防溅水
· 抗冲击ABS外壳

标准和认证

CE 3类

UL AR 1983

应用行业

- 建筑业
- 化工业
- 石油和天然气 (开采)
- 石油化工
- 电力能源
- 仓储

防范风险

坠落

坠落防护

PROTECTOR EXTRA LARGE AN19040T2

可伸缩防坠落装置

自动收缩式防坠制动器，不锈钢钢索，适用于长达40米的长距离

详细信息 - 标准

技术细节

装备类型	钢缆卷轴
主要支架的组成	ABS, 钢
最大长度 (m)	40
ARA长度 (m)	40
ARA长度 (inch)	1574.804
绳索直径 (mm)	4,8
包含配件	包含能量吸收器
颜色	黑色-橙色
连接器 (用户方)	小钩，钢制，开口21mm
产品优势	坠落指示器
自生产之日起的产品寿命 (年)	20
重量 (kg)	21,1
防坠落作业类型	永久性建筑上的垂直移动, 长距离垂直移动或倾斜表面上的移动
锁定系统	惯性锁定系统
Use of self retracting	Vertical

Fall protection

PROTECTOR EXTRA LARGE AN19040T2

RETRACTABLE FALL ARRESTERS

Self-retractable fall arrester in stainless steel cable for long distances of up to 40 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN19040T2	Black-Orange	40 m	PROTECTOR EXTRA LARGE AN19040T2	3295249278243	13295249278240	1	1	21.2 kg	34.2 cm	28.0 cm	48.5 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height