



Fall protection

MICROBLOC AN106PF

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances



Specific benefits



Comfort

- Double swivel ensures it will maintain pursuit of user



Hygiene

- Can wash harnesses and textiles with neutral soap



Performance

- Certification above maximum rated load 100kg: product certified at 140kg



Ease of Use

- NFC system guarantees traceability



Visibility

- Anti-fall visual indicator allows for instant verification that product is properly functioning

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN360

RFU 10.060
HORIZONTAL CERTIFICATION
RFU 11.062
140 KG
RFU 11.085
F2



Risk Protection



Fall



enjoy safety.

Edit 08/09/2026
www.deltaplus-usa.com



Fall protection

MICROBLOC AN106PF

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances

Standards - Details

Technical details

Type of equipment	Webbing reel
Composition of the main support	Polyamide, Polyester
Max. length (m)	1,8
ARA lenght (m)	1,8
ARA lenght (inch)	70.8662
Fall factor	F2
Included elements	Energy absorber
Color	Black
Lifespan from manufacturing (years)	10
Weight (kg)	1,26
Maximum load for one person (kg)	140
Fall arrest work situations	Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Use of self retracting	Horizontal, Vertical



Fall protection

MICROBLOC AN106PF

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN106PF	Black	1,8 m	MICROBLOC AN106PF	3295249275358	13295249275355	5	1	7.9 kg	18.6 cm	26.6 cm	40.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height