Fall protection

MEDBLOC AN13006C2

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres



Specific benefits

Hygiene

· Can wash harnesses and textiles with neutral soap

Ease of Use

· NFC system guarantees traceability

Visibility

· Anti-fall visual indicator allows for instant verification that product is properly functioning

Certifications and norms

CE CATEGORY III

EN360
RFU 10.060
HORIZONTAL CERTIFICATION
RFU 11.062
128 KG

UL
AR 1983

Applications

- **Public Works**
- **Finishing Works/Craftsmanship**
- **Automotive**
- **Oil & Gas (Extraction)**
- **Power Energy**
- **Storage**

Risk Protection

Fall

Fall protection

MEDBLOC AN13006C2

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres

Standards - Details

Technical details

Type of equipment	Webbing reel
Composition of the main support	ABS, Polyester
Max. length (m)	6
Strap width (mm)	25
ARA lenght (m)	6
ARA lenght (inch)	236.2206
With connector	yes
Color	Black
Connector 1	Small hook, steel, opening 21 mm
Benefits element	Fall indicator
Connectors (structure side)	Screw carabiner
Lifespan from manufacturing (years)	10
Weight (kg)	1,6
Maximum load for one person (kg)	128
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure
Use of self retracting	Horizontal, Vertical

Fall protection

MEDBLOC AN13006C2

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN13006C2	Black	6 m	MEDBLOC AN13006C2	3295249264949	13295249264946	5	1	11.7 kg	23.0 cm	29.0 cm	50.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height