



E25180

2PLY SLINGS SF7

Fall protection



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap

Applications

- Building
- Maintenance
- Chemical industry
- Petrochemical
- Storage

Certifications and norms



E25180

2PLY SLINGS SF7

Fall protection

Standards - Details

Technical details

Type of equipment	Flat sling
Composition of the main support	Polyester
Max. length (m)	8 m
Strap width (mm)	180 mm
Min. length (m)	2 m
Color	Brown
Safe working load (kg)	6000 kg
Type of split eye	Reduced



E25180

2PLY SLINGS SF7

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE251800202	Brown	2 m	E25180	0	0	2	1	8.0 kg	40.0 cm	30.0 cm	30.0 cm
WXE251800302	Brown	3 m	E25180	7798408753699	0	2	1	10.92 kg	40.0 cm	30.0 cm	30.0 cm
WXE251800402	Brown	4 m	E25180	7798408757505	0	2	1	13.2 kg	40.0 cm	35.0 cm	28.0 cm
WXE251800502	Brown	5 m	E25180	0	0	2	1	16.2 kg	40.0 cm	35.0 cm	28.0 cm
WXE251800602	Brown	6 m	E25180	7798408755365	0	2	1	18.4 kg	50.0 cm	40.0 cm	33.0 cm
WXE251800802	Brown	8 m	E25180	7798408753705	0	1	1	10.26 kg	40.0 cm	35.0 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height