



PROTECTOR ROUND AN12006T

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada



Prednosti



performanse

- Certificirano za maksimalno nazivno opterećenje veće od 100 kg: proizvod certificiran za 150 kg



Jednostavnost korištenja

- Automatski karabineri za sigurno zaključavanje i uštedu vremena
- Ručka za lakše nošenje



Trajnost

- ABS kućište otporno na udarce



Vidljivost

- Vizualni pokazivač za sprječavanje pada omogućuje trenutnu provjeru pravilnog funkcioniranja proizvoda

Područje upotrebe

- Zgrada
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

Certifikati i standardi



EN360
RFU 11.062
150 KG



Štiti od



Pad



enjoy safety

Edit 26/10/2026
www.deltaplus.eu



PROTECTOR ROUND AN12006T

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Kalem za namatanje sajle
Sastav glavnog nosača	ABS, Pocinčani čelik
Maks. duljina (m)	6
ARA duljina (m)	6
ARA duljina (inch)	236.2206
Duljina (m)	6
Boja	Narančasta
Dodatna pogodnost	Indikator pada
Težina (kg) (kg)	5,7
Najveće dopušteno opterećenje je za jednu osobu (kg)	150
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi
Sustav za blokiranje	Inercijski sustav za blokiranje
Duljina (ft)	19.6849
Use of self retracting	Vertical



Fall protection

PROTECTOR ROUND AN12006T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 6 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN12006T	Orange	6 m	PROTECTOR ROUND AN12006T	3295249195601	13295249195608	1	1	7.04 kg	0.14 m	0.3 m	0.563 m



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height